



# CITY OF RED WING BUILDING PERMIT APPLICATION



Date of Application: \_\_\_\_\_

Contractor License# and Expiration Date

Job Address: \_\_\_\_\_

Year Built \_\_\_\_\_ Lead Cert. # \_\_\_\_\_ PIN# \_\_\_\_\_

OWNER INFORMATION	CONTRACTOR INFORMATION
Name: _____	Name: _____
Address: _____	Address: _____
Phone: _____	Phone: _____
Email: _____	Email: _____
PROPERTY TYPE	CONSTRUCTION TYPE
<input type="checkbox"/> Civic & Institutional <input type="checkbox"/> Commercial <input type="checkbox"/> Industrial <input type="checkbox"/> Residential - 1 & 2 Family <input type="checkbox"/> Residential - Multi-Family <input type="checkbox"/> Residential - Townhome/Tracthome	<input type="checkbox"/> New <input type="checkbox"/> Addition/Deck/Garage/Shed <input type="checkbox"/> Remodel/Alteration <input type="checkbox"/> Siding/Windows <input type="checkbox"/> Re-roofing
Value of Work: \$ _____	
Describe Work: _____	
<p><b>Separate permits are required for Electrical, Plumbing, Heating/Ventilation/Air Conditioning, and Signs</b></p> <p>This permit becomes void if work or construction is not commenced within 180 days or if work or construction is abandoned for a period of 180 days at any time after work has commenced. I hereby certify that I have read and examined this application and know the same to be true and correct. All provisions of Law and Ordinance governing this type of work will be complied with whether specified herein or not. The granting of a permit does not presume to give authority to violate or cancel the provisions of state or local law regulating construction or the performance of construction. If project involves grading or excavating, I hereby certify that I have read and understand the notice of "Erosion Control Requirements" and will comply with these requirements.</p> <p><b>You must call for all required inspections and a final inspection</b></p>	
<p><b>NEW CONSTRUCTION ONLY:</b> <input style="width: 50px; height: 20px;" type="text"/> <b>I understand &amp; will adhere to all Work in City Right of Way Guidelines for Drive Aprons &amp; Sidewalks.</b></p>	
<b>CITY SERVICES BILLING ACTIVATION FOR NEW CONSTRUCTION</b>	
<p>I hereby acknowledge and understand that:</p> <ul style="list-style-type: none"> <li>• sewer and water monthly service charges will begin immediately upon issuance of a water meter.</li> <li>• for residential accounts, refuse and recycling charges will begin 30 days after issuance of a water meter.</li> <li>• for residential accounts not serviced by city sewer and water, I am <b>required</b> to set up refuse and recycling services with the Public Works Department.</li> <li>• for commercial accounts, refuse &amp; recycling service shall be provided by a City of Red Wing licensed hauler. The current list of licensed haulers is available at the Public Works Department.</li> </ul>	
<b>SIGNATURE:</b> _____	<b>PRINTED NAME:</b> _____
<b>OFFICE USE ONLY</b>	
DATE FAXED TO PUBLIC WORKS DEPT. _____	OCCUPANCY CODE _____
PLAN REVIEW Y/N _____	ZONING _____
TYPE OF CONSTRUCTION _____	# OF DWELLING UNITS _____



## MECHANICAL PERMIT APPLICATION

Date of Application: \_\_\_\_\_

Job Address: \_\_\_\_\_ PIN#: \_\_\_\_\_

OWNER INFORMATION	CONTRACTOR INFORMATION
Name:	Name:
Address:	Address:
Email:	Email:
Phone:	Phone:
PROPERTY TYPE	CONSTRUCTION TYPE
<input type="checkbox"/> Civic & Institutional <input type="checkbox"/> Commercial <input type="checkbox"/> Industrial <input type="checkbox"/> Residential - 1 & 2 Family <input type="checkbox"/> Residential - Multi-Family <input type="checkbox"/> Residential - Townhome/Tracthome	<input type="checkbox"/> New <input type="checkbox"/> Addition <input type="checkbox"/> Remodel/Alteration/Repair
<b>Describe Work:</b>	
<b>Value of Work: \$</b>	
<p>The undersigned hereby makes application for mechanical work as herein specified, that all the statements are true and that all the work herein mentioned will be done in accordance with City Ordinances and the State of Minnesota Mechanical Code. Permit may be revoked upon violation of any of the above stipulations and provisions.</p>	
<p><b>You must call for all required inspections and a final inspection</b></p>	
<b>SIGNATURE:</b>	<b>PRINTED NAME:</b>

Revised : 2/28/2018

Community Development Building  
 419 Bush St. Red Wing, MN 55066  
 Phone:(651) 385-3623  
 Fax:(651) 388-4782



## PLUMBING PERMIT APPLICATION

**Date of Application:** \_\_\_\_\_

**Job Address:** \_\_\_\_\_ **PIN#:** \_\_\_\_\_

Contractor License# and Expiration Date

OWNER INFORMATION	CONTRACTOR INFORMATION
Name:	Name:
Address:	Address:
Phone:	Phone:
Email:	Email:

PROPERTY TYPE	CONSTRUCTION TYPE
<input type="checkbox"/> Civic & Institutional <input type="checkbox"/> Commercial <input type="checkbox"/> Industrial <input type="checkbox"/> Residential - 1 & 2 Family <input type="checkbox"/> Residential - Multi-Family <input type="checkbox"/> Residential - Townhome/Tracthome	<input type="checkbox"/> New <input type="checkbox"/> Addition <input type="checkbox"/> Remodel/Alteration/Repair <input type="checkbox"/> Water/Sewer Service <input type="checkbox"/> New Service Replacing - Well & Septic System

**Describe Work:**

---

**Value of Work: \$**

The undersigned hereby makes application for plumbing work as herein specified, that all the statements are true and that all the work herein mentioned will be done in accordance with City Ordinances and the State of Minnesota Plumbing Code. Permit may be revoked upon violation of any of the above stipulations and provisions. If project involves grading or excavating, I hereby certify that I have read and understand the notice of "Erosion Control Requirements" and will comply with these requirements.

**You must call for all required inspections and a final inspection**

<b>SIGNATURE:</b>	<b>PRINTED NAME:</b>
-------------------	----------------------

Revised : 05/06/2016

Community Development Building  
 419 Bush St. Red Wing, MN 55066  
 Phone:(651) 385-3623  
 Fax:(651) 388-4782





## NOTIFICATION FORM FOR HOOK-UP

Service Address: \_\_\_\_\_ PIN#: \_\_\_\_\_

OWNER OF RECORD INFORMATION	BILLING ADDRESS
Name: _____	Name: _____
Address: _____	Address: _____
Phone: _____	Phone: _____

LICENSED PLUMBER INFORMATION	CONNECTION TYPE
Contractor: _____	<b>WATER</b> <input type="checkbox"/> COPPER                      DATE _____ <input type="checkbox"/> OTHER:  <b>SEWER</b> <input type="checkbox"/> CAST IRON                      DATE _____ <input type="checkbox"/> CLAY <input type="checkbox"/> PLASTIC <input type="checkbox"/> OTHER:
Address: _____	
Contractor License #: _____	
Expiration Date: _____	
<b>METER SIZE:</b> _____	

**COMMENTS**

\_\_\_\_\_

\_\_\_\_\_

**CITY INSPECTOR:** \_\_\_\_\_ **DATE:** \_\_\_\_\_

( OFFICE USE ONLY ) **CITY OF RED WING UTILITIES DIVISION** ( OFFICE USE ONLY )

METER NUMBER: _____	ECR NUMBER: _____
METER READING: _____	METER SIZE: _____
ACCOUNT NUMBER: _____	ISSUED BY: _____
READING SEQUENCE NUMBER: _____	DATE ISSUED: _____



No. \_\_\_\_\_ (office use)

## APPLICATION FOR WORK IN CITY RIGHT OF WAY

APPLICANT INFORMATION	WORK TO BE PERFORMED AT
Name:	PIN:
Address:	ADDRESS:
Home Phone:	
Work Phone	

Applicant's Signature: \_\_\_\_\_ Date: \_\_\_\_\_

I respectfully make application for: \_\_\_\_\_

WORK DESCRIPTION	WORK IN CITY RIGHT OF WAY	REQUEST ESTIMATE FROM CITY
DRIVE APRON	<input type="checkbox"/>	<input type="checkbox"/>
CURB & GUTTER	<input type="checkbox"/>	<input type="checkbox"/>
SIDEWALK	<input type="checkbox"/>	<input type="checkbox"/>
STREET REPAIR	<input type="checkbox"/>	<input type="checkbox"/>
SEWER SERVICE NEW	<input type="checkbox"/>	<input type="checkbox"/>
SEWER SERVICE RELAY	<input type="checkbox"/>	<input type="checkbox"/>
WATER SERVICE NEW	<input type="checkbox"/>	<input type="checkbox"/>
WATER SERVICE RELAY	<input type="checkbox"/>	<input type="checkbox"/>
STREET EXTENSION	<input type="checkbox"/>	<input type="checkbox"/>
SEWER MAIN EXTENSION	<input type="checkbox"/>	<input type="checkbox"/>
WATER MAIN EXTENSION	<input type="checkbox"/>	<input type="checkbox"/>
TREE REMOVAL	<input type="checkbox"/>	<input type="checkbox"/>
SNOW REMOVAL	<input type="checkbox"/>	<input type="checkbox"/>
OTHER: _____	<input type="checkbox"/>	<input type="checkbox"/>

- The City of Red Wing Engineering Department's location and phone numbers are listed at the bottom of this form.
- All construction within City right of way shall conform to City standards. Questions can be directed to the Engineering Dept.
- Please notify the Engineering Department 24 hours prior to pouring concrete in City right of way to schedule form inspection.
- Refuse and recycling containers are available at the Public Works Department.
- Please contact the Public Works Department at (651) 385-3674 if you have any special collection or disposal needs.

Remarks: \_\_\_\_\_

Received by \_\_\_\_\_ Date \_\_\_\_\_  
 (Employee of the City of Red Wing)

Engineering/Public Works  
 229 Tyler Rd. N Red Wing, MN 55066  
 Phone:(651) 385-3674  
 Fax:(651) 388-0243



To: Concrete Contractors and Builders

Re: Concrete Construction in City Right-Of-Ways


Driveway and walk construction performed on City boulevards and right-of-ways shall be done in accordance with the City of Red Wing Standard Specifications and Procedures. In order to be permitted to work on City right-of-ways, the following procedures shall be followed:

1. A current valid Certificate of Insurance must be on file in the Office of the City Clerk. A list of contractors with valid Certificates of Insurance on file may be distributed with "Application for Work in City Right of Way" and building permits.
2. A City of Red Wing "Application for Work in City Right of Way" must be completed prior to construction and signed by the property owner. Applications shall be obtained and returned at the City Engineer's Office or online at the City of Red Wing's website. Presently there is no charge to the contractor or the owner for the application
3. Walk, driveway, and curb construction will no longer be done by the Public Works Department in conjunction with new home construction.
4. The Engineering Department shall be notified at (651) 385-3674 to inspect the forms prior to pouring when construction is done by parties other than the City forces. Adequate notice shall be required to schedule inspections. Concrete work not constructed to the City Standards will be ordered to be removed and reconstructed to City Standards.
5. Construction shall be done in accordance with the most recent version of the City of Red Wing's Standard Drawings (attached are current as of April 3, 2017). Concrete mix shall be MnDOT mix design 3F52 for walks and driveways. Non-conforming construction shall be removed and replaced. Workmanship shall be in accordance with MnDOT Specification in 2461, 2521, and 2531.
6. When conditions prohibit construction from conforming to the standards, modifications shall be approved by the City Engineer or his/her authorized representative.
7. Proper barricades and traffic control devices shall be installed and maintained in accordance with Part 6 of the Minnesota Manual on Uniform Traffic Control Devices. All traffic control devices shall be in place until construction is complete and open to traffic. Information is available at the City Engineer's Office.
8. All sidewalk curb ramps shall be constructed according to the current version of MnDOT's Standard Plans for Pedestrian Curb Ramp Details. The City Engineer shall determine type and location of any new or reconstructed pedestrian ramps.

TYPE OF CONSTRUCTION	CONCRETE MIX
Machine-Placed Curb & Gutter	3F32
Hand-Placed Curb & Gutter	3F52
Hand-Placed Driveway	3F52
Hand-Placed Sidewalk	3F52
Hand-Placed Concrete Street Pavement	3F52
Hand-Placed Inverts or Base Pads for Manholes and Catch Basin	3G52
Building or Structure Footings	3G52
Wall or Bridge Structural Repair	3S52

229 Tyler Road North  
 Red Wing, MN 55066  
 Website: [www.red-wing.org](http://www.red-wing.org)  
 Phone: 651.385.3674  
 Fax: 651.388.0243





**NOTES:**

1. THE CONTRACTOR SHALL INSPECT SILT FENCE AREAS ON A WEEKLY BASIS AND WITHIN 24 HOURS OF EACH 1/2"+ RAIN EVENT FOR ANY DAMAGE AND FILLING OF THE SILT FENCE. ANY REPAIRS OR MAINTENANCE OF THE SILT FENCE SHALL BE ACCOMPLISHED WITHIN 24 HOURS OF THE RAIN EVENT AS DIRECTED BY THE ENGINEER.
2. THE CONTRACTOR SHALL REMOVE SILT FENCE UPON FINAL STABILIZATION, AS DEFINED IN THE MPCA GENERAL STORMWATER PERMIT, OR AS DIRECTED BY THE ENGINEER.

DATE REVISED

05/02/11

**SILT FENCE**

PLATE NO.

4-03

# NOTICE


## EROSION CONTROL REQUIREMENTS OF BUILDING PERMIT

AN EROSION CONTROL INSPECTION IS REQUIRED BEFORE ANY GRADING OR BUILDING EXCAVATION BEGINS. THE INTENT IS TO LIMIT DIRT TRACKED ON TO STREETS AND WASHED INTO ADJACENT WATERWAYS OR PROPERTY. AT THIS EROSION CONTROL AND GRADING INSPECTION, ALL SILT FENCING SHALL BE COMPLETED, AND A WASHED AGGREGATE PAD FOR DRIVEWAY FROM THE GARAGE TO THE STREET SHALL BE IN PLACE. A SILT FENCE OR EQUAL SHALL BE INSTALLED THREE FEET FROM THE BACK OF CURB EXTENDING FROM THE SIDE LOT LINES (EXTENDED) TO THE AGGREGATE DRIVEWAY OPENING. ADDITIONAL SILT FENCE SHALL BE ERECTED AT SITE AREAS AS DIRECTED BY THE BUILDING INSPECTIONS OFFICIAL.


ALL FENCES AND STABILIZED VEHICLE EXIT SHALL BE CONTINUOUSLY MAINTAINED UNTIL SUCH TIME THAT TURF IS REESTABLISHED ON THE PROPERTY. FAILURE TO OBTAIN EROSION CONTROL INSPECTION APPROVAL PRIOR TO GRADING & EXCAVATION OR LACK OF MAINTENANCE OF FENCES & STABILIZED VEHICLE EXIT WILL RESULT IN A STOP-WORK ORDER. ALL CONTRACTORS ARE REQUIRED TO USE THE STABILIZED VEHICLE EXIT WHEN ENTERING AND EXITING THE PROPERTY.

AT FINAL INSPECTION, ALL DISTURBED AREAS MUST BE SODDED OR SEEDDED AND MULCHED. IF DIRT ENTERS THE STREET, PERMIT HOLDER WILL BE RESPONSIBLE FOR ALL CLEAN-UP COSTS.

INSTALL SILT FENCE ALONG POND BOUNDARY OR ACROSS SWALE LEAVING PROPERTY.



### SILT FENCE DETAIL




12" OF SILT FENCE FABRIC SET IN NOTCH COVERED BY COMPACTED BACKFILL.

"STABILIZED VEHICLE EXIT" SHALL BE CONSTRUCTED OF WASHED AGGREGATE MEETING CA-2 REQUIREMENTS (1 1/2"-2") TO A MINIMUM DEPTH OF 8" PRIOR TO SITE GRADING & EXCAVATING. THE STABILIZED VEHICLE EXIT IS DESIGNED TO KEEP VEHICLES FROM TRACKING SOILS ONTO ROADWAYS AND SHALL BE MAINTAINED THROUGHOUT CONSTRUCTION AS DIRECTED BY THE BUILDING OFFICIAL. IN AREAS AND AT TIMES WHERE THE SUBSOILS ARE SOFT, THE CONTRACTOR MAY BE REQUIRED TO PLACE GEOTEXTILE FABRIC PRIOR TO PLACING AGGREGATE TO KEEP SUBSOILS FROM PUMPING UP INTO WASHED ROCK.


CALL (651) 385-3623 FOR QUESTIONS OR TO SCHEDULE AN EROSION CONTROL OR GRADING INSPECTION.  
NOTE: BEFORE DIGGING, CALL GOPHER STATE ONE-CALL AT 1-651-454-0002 (REQUIRED BY LAW)  
(form revised 4/06/2001)




DESIGN D4  
MODIFIED



DESIGN D412



DESIGN B6



NOTES:

1. CONCRETE MIX: MANUAL PLACEMENT—MnDOT SPEC. 3F52,  
SLIP FORM PLACEMENT—MnDOT SPEC. 3F32.
2. PROVIDE 1/2" EXP. JT. AT 300' MAX. SPACING  
IN ADDITION TO EXP. JTS. SHOWN ON OTHER DETAIL PLATES.
3. PROVIDE 1/2" EXP. JT. ALONG BACK OF CURB AT LOCATIONS  
WHERE CURB ABUTS BUILDING WALLS AND RETAINING WALLS.
4. PROVIDE CONTRACTION JOINTS AT 10' MAX. SPACING.
5. CONCRETE TO BE CONSTRUCTED ON A PROPERLY COMPACTED BASE.

DATE REVISED


04/01/16

CONCRETE CURB & GUTTER


PLATE NO.

3-01


DESIGN D4  
MODIFIED



DESIGN D412



DESIGN B6



NOTES:

1. CONCRETE SILL TO BE USED WHERE 4" CONCRETE ABUTS D4 MOD, D412 AND B6 - ALSO WHERE 6" CONCRETE ABUTS B6 (EXCEPT THROUGH DRIVE APRONS).
- ② TIE SILL AT 3' CENTERS WITH 10" #4 REINFORCING BARS (GR, 60). IN PLACE CURB WILL REQUIRE DRILLING FOR REINFORCING BAR PLACEMENT. NO REINFORCING BARS REQUIRED IF SILL IS POURED MONLITHICALLY WITH CURB. (SEE PLATE NO. 3-01 FOR MnDOT SPEC. MIXES)
- ③ PROVIDE BOND BREAK AT TOP OF SILL.
- ④ PROVIDE 1/2" EXP. JT. AT MEDIAN INFILLS. 1/2" EXP. JT. NOT REQUIRED AT PEDESTRIAN RAMP, SIDEWALK AND CARRIAGE WALK ABUTMENTS.
5. CONCRETE TO BE CONSTRUCTED ON A PROPERLY COMPACTED BASE.

DATE REVISED



04/11/16

CONCRETE SILL

PLATE NO.

3-02






**NOTES:**

1. TYPE A APPROACH ALLOWED IN ALL AREAS. (RESIDENTIAL, COMMERCIAL AND INDUSTRIAL)
- ② PROVIDE 1/2" EXP. JT. UPON APPROVAL BY THE ENGINEER, SIDEWALK MAY BE POURED MONOLITHICALLY WITH THE APPROACH AND 1/2" EXP. JT. WOULD NOT BE REQUIRED. IF NO SIDEWALK IS PRESENT, PROVIDE 1/2" EXP. JT. AT CONNECTION TO IN PLACE CONCRETE DRIVEWAY.
- ③ CONTRACTION JOINTS SPACED SO THAT THE MAX. SPACING BETWEEN THE JOINTS DOES NOT EXCEED 1.5 "D" OR 12' WHICHEVER IS LESS, AS MEASURED ALONG THE BACK OF CURB.
- ④ TRANSVERSE CONTRACTION JOINT REQUIRED WHEN "D"=8' OR GREATER, PLACED AT THE CENTER OF THE APPROACH.
- ⑤ STRIKE OFF LINE FOR DRIVE APPROACHES CONNECTING TO "B6" CURB, SEE NOTE 3 FOR JOINTING IN THIS DIRECTION.
- ⑥ TAPER WING TO SIDEWALK WHEN "D" IS 10' OR LESS, OTHERWISE TAPER TO 1/2 "D".
7. CONCRETE TO BE CONSTRUCTED ON PROPERLY COMPACTED BASE.

DATE REVISED  
04/01/16

**CONCRETE DRIVE APPROACH  
TYPE A**

PLATE NO.  
3-05



**NOTES:**


1. TYPE B APPROACH ALLOWED ONLY IN COMMERCIAL AND INDUSTRIAL AREAS. VALLEY GUTTERS (PLATE NO. 3-07) ARE ALSO ALLOWED FOR COMMERCIAL AND INDUSTRIAL APPROACHES.
- ② PROVIDE 1/2" EXP. JT. UPON APPROVAL BY THE ENGINEER, SIDEWALK MAY BE POURED MONOLITHICALLY WITH APPROACH AND 1/2" EXP. JT. WOULD NOT BE REQUIRED.
- ③ CONTRACTION JOINTS SPACED SO THAT THE MAX. SPACING BETWEEN THE JOINTS DOES NOT EXCEED 1.5 "D" OR 12' WHICHEVER IS LESS, AS MEASURED ALONG THE BACK OF CURB.
- ④ TRANSVERSE CONTRACTION JOINT REQUIRED WHEN "D"=8' OR GREATER, PLACED AT THE CENTER OF THE APPROACH.
- ⑤ RADIAL CONTRACTION JOINT FROM MIDPOINT OF RADIUS TO STRIKE OFF LINE AND FROM STRIKE OFF LINE TO EDGE OF GUTTER.
- ⑥ STRIKE OFF LINE FOR WASHING OUT CURB AT SIDEWALK CONNECTION. STRIKE OFF LINE RADIUS VARIES DEPENDING ON APPROACH RADIUS. CURB MAY CONTINUE AND MATCH PARKING LOT CURB PROVIDED PEDESTRIAN RAMP, WITHOUT TRUNCATED DOMES, ARE CONSTRUCTED AT SIDEWALK. (SEE PLATE NO. 3-08)
7. CONCRETE TO BE CONSTRUCTED ON PROPERLY COMPACTED BASE.

DATE REVISED  
04/01/16

**CONCRETE DRIVE APPROACH  
TYPE B**

PLATE NO.  
3-06







DATE REVISED

04/01/16

## SIDEWALK DETAILS

PLATE NO.

3-10



NOTES:


- ① RISE AND RUN TO BE FIELD DETERMINED BY THE ENGINEER AND ALSO PROVIDE FOR ADEQUATE DRAINAGE ON STAIR TREADS.
- ② PROVIDE 1/2" EXP. JT.
- ③ CONSTRUCT 6" MINIMUM GRANULAR BORROW BASE.
- ④ CONSTRUCT #4 REINFORCING BARS (GR. 60) - 12" O.C. IN BOTH DIRECTIONS. MAINTAIN 2" CLEAR SPACE FROM FORMS AND BASE.
- 5. CONCRETE - MnDOT SPEC. MIX 3F52.
- 6. CONCRETE TO BE CONSTRUCTED ON PROPERLY COMPACTED BASE.
- 7. ADA-COMPLIANT RAILINGS REQUIRED ON BOTH SIDES OF CONCRETE STEPS WHEN RISE IS 2 OR MORE STEPS. CONTRACTOR MUST SUBMIT SHOP DRAWINGS OF ALL RAILINGS FOR APPROVAL OF THE CITY ENGINEER. THE CITY ENGINEER RESERVES THE RIGHT TO IMPOSE ADDITIONAL REQUIREMENTS ON RAILING TYPE, LOCATION, AND OTHER RAILING PROPERTIES NOT LISTED IN THIS DETAIL.

DATE REVISED  
04/03/17

CONCRETE STEPS

PLATE NO.  
3-11





NOTES:

1. STABILIZED VEHICLE ENTRANCE SHALL BE CONSTRUCTED AS SOON AS POSSIBLE AFTER THE PROJECT CONSTRUCTION BEGINS TO MINIMIZE TRACKING OF SOILS ONTO EXISTING ROADWAYS.
2. THE CONTRACTOR SHALL MAINTAIN THE STABILIZED VEHICLE ENTRANCE THROUGHOUT THE PROJECT AS DIRECTED BY THE ENGINEER AS AN INCIDENTAL ITEM TO STABILIZED VEHICLE ENTRANCE CONSTRUCTION.
3. TRACKED SEDIMENT MUST BE REMOVED WITHIN 24 HOURS FROM ANY PAVED SURFACE INCLUDING BORROW PIT ENTRANCES, AND ANY OTHER AREAS THAT ARE AFFECTED BY THE CONTRACTOR'S CONSTRUCTION OPERATIONS.
4. THE CONTRACTOR SHALL REMOVE STABILIZED VEHICLE ENTRANCE UPON COMPLETION OF THE PROJECT AS AN INCIDENTAL ITEM TO CONSTRUCTION ACTIVITIES.

DATE REVISED  
04/01/16

STABILIZED CONSTRUCTION  
EXIT

PLATE NO.  
4-04



# Typical Wall Section

## Planning & Building Inspections Department


315 W 4<sup>th</sup> St  
 Red Wing, MN 55066  
 Ph. 651-385-3623  
 Fax 651-388-9608

Trusses: \_\_\_\_\_  
 Hand Frame: 2x \_\_\_\_\_ @ \_\_\_\_\_ o.c.  
 Shingles: \_\_\_\_\_  
 Attic Insulation: \_\_\_\_\_  
 Attic Insulation: R Value \_\_\_\_\_  
 Air Chutes: \_\_\_\_\_  
 Vapor Barrier: \_\_\_\_\_

Wall Type: \_\_\_\_\_  
 Wall Studs: 2x \_\_\_\_\_ @ \_\_\_\_\_ o.c.  
 Exterior Sheathing: \_\_\_\_\_  
 Wall Insulation: \_\_\_\_\_  
 Wall Insulation: R Value \_\_\_\_\_  
 Exterior Air Barrier: \_\_\_\_\_  
 Exterior Finish: \_\_\_\_\_  
 Interior Moisture Barrier: \_\_\_\_\_

Floor Joist Type: \_\_\_\_\_  
 Joists: 2x \_\_\_\_\_ @ \_\_\_\_\_ o.c.  
 Rim Joist Insulation: R Value \_\_\_\_\_  
 1/2-Inch Anchor Bolts @ \_\_\_\_\_ o.c.  
 Treated Sill: 2x \_\_\_\_\_


Foundation Type: \_\_\_\_\_  
 Foundation Insulation: (Circle) **Inside** or **Outside**  
 Foundation Insulation: R Value \_\_\_\_\_  
 Foundation Coating: \_\_\_\_\_  
 Concrete Floor (4 Inch Minimum): \_\_\_\_\_  
 Footing Size: \_\_\_\_\_  
 Rebar (Grade 60 Minimum) Size: \_\_\_\_\_  
 Vapor Barrier Under Concrete: \_\_\_\_\_





# CITY OF RED WING BUILDING DEPARTMENT

*R401.3 Certificate: A building certificate shall be completed and posted on or in the electrical distribution panel by the builder or registered design professional.*

<b>Mandatory Building Certificate</b>	Date of Posting	
Address of Dwelling	City/State/Zip	
Name of Residential Contractor (or Owner if Self-Contracting)	Minnesota License Number	

### THERMAL ENVELOPE

Insulation Location	R-Value	Check All Types of Insulation That Apply and Describe Other Types as Necessary.								Describe Any Other Insulation Here.
		None or Not Applicable	Fiberglass - Blown	Fiberglass - Batts	Foam - Closed Cell	Foam - Open Cell	Mineral Fiberboard	Rigid - Extruded Polystyrene	Rigid - Isocyanurate	
Below Entire Slab										
Foundation Wall										
Perimeter of Slab-on-Grade										
Rim Joist - First Floor										
Rim Joist - Second Floor										
Walls										
Ceiling - Flat										
Ceiling - Vaulted										
Bay Windows and/or Cantilevered Areas										
Floors Over Unconditioned Areas										
Describe Other Areas:										

FENESTRATION: WINDOWS and DOORS	HEATING and/or COOLING DUCTS	RADON SYSTEM
Average U-Factor (exclude skylights & one door) U:	All Ducts Are in Conditioned Space: Yes / No	Passive - No Fan Installed
Solar Heat Gain Coefficient (SHGC):	R-Value of Ducts Outside Conditioned Space: R =	Active - Fan & Monitoring Device
Building Envelope Air Tightness	Duct System Air Tightness	Location of Fan (or Future Fan)

MECHANICAL SYSTEMS				MAKE-UP AIR
Appliances	Heating System	Domestic Water Heater	Cooling System	Not Required by Mechanical Code
Fuel Type				Passive
Manufacturer				Powered
Model				Interlocked
Rating or Size	Input BTUs:	Capacity:	Output Tons:	Other:
Efficiency	AFUE/HSPF%:		SEER/EER:	Location:
Residential Load Calculations	Heat Loss	Heat Gain	Cooling Load	CFMs:
				Duct Size:

MECHANICAL VENTILATION SYSTEM	COMBUSTION AIR	
Heat Recovery Ventilator (HRV) - Capacity in CFMs:	Low: High:	Not Required by Mechanical Code
Energy Recovery Ventilator (ERV) - Capacity in CFMs:	Low: High:	Passive
Balanced Ventilation - Capacity in CFMs:		Other:
Describe Fan Location(s):		Location:
Continuous Ventilation Rate in CFMs:		CFMs:
Total Ventilation (Intermittent + Continuous) Rate in CFMs:		Duct Size:
Describe Additional or Combination Heating or Cooling Systems (e.g., two furnaces, heat pump with gas back-up, etc.):		



## 2019 City of Red Wing Licensed and Authorized Solid Waste Haulers

<u>Company</u>	<u>Address</u>	<u>City</u>	<u>State</u>	<u>Zip</u>	<u>Contact</u>	<u>E-mail or Web Address</u>	<u>Phone #</u>
Bauer Roll-Off Service of Cannon Falls	13975 280th St. E	Cannon Falls	MN	55009	Robby Peine	robbypeine@hotmail.com	507-581-1436
Lake City Recycling & Disposal	401 - 8th Street S.	Lake City	MN	55041	Mike	lcrecycling@embargmail.com	651-345-4224
Lightning Disposal	10730 Briggs Drive, Suite B	Inver Grove Heights	MN	55077	Robert Nitti	www.nittisanitation.com	651-457-4434
Lloyd's Construction Services	7207 - 128th Street W.	Savage	MN	55378	Stephanie Lloyd	www.lloyds-construction.com	952-746-5832
Midstate Disposal	8160 Carmen Ave	Inver Grove Heights	MN	55076	Daniel Rodent		651-455-6641
Paul's Industrial Garage, Inc.	W9724 State Hwy 35	Hager City	WI	54014	David Deml	piqllc@hotmail.com	715-792-5209
Red Wing, City of	1873 Bench Street	Red Wing	MN	55066	Rose Hanson	rose.hanson@ci.red-wing.mn.us	651-385-3658
River City Metal, LLC	PO Box 36	Prescott	WI	54021	William Holst	www.rivercitymetals.com	715-792-2018
Simanski Metals, LLC	28983 320th Avenue Way	Red Wing	MN	55066	Kevin Simanski		651-491-3763
Veit Disposal Systems	21075 134th Ave N	Rogers	MN	55374	Customer Service	veitusa.com	763-428-2242
Waste Management of MN	1510 Hwy 3 South	Northfield	MN	55057	Customer Service	www.wmtwincities.com	1-800-247-1012
Zemke/Franklin Roll-Off Service	18222 400th St	Goodhue	MN	55027	Jerry Zemke		651-923-4256